NOTES:

1. SUBSTRATE: FUSED SILICA

2. COATING (APPLY ACROSS CLEAR APERTURE)

\$1: NR(avg) ≤1.5% @ 250 - 450nmNE \$2: NR(avg) ≤1.5% @ 250 - 450nmNE


3. EDGES: FINE GROUND

4. CENTERING: <3-5 ARCMIN

5. ASPHERE FIGURE ERROR: 0.75µm RMS



$$Z_{ASPH}(Y) = \frac{(\sqrt{\frac{1}{RADIUS}})^*Y^2}{1 + \sqrt{1 - (1 + k)^*(\frac{1}{RADIUS})^2 *Y^2}} + D*Y^2 + E*Y^4 + F*Y^6 + G*Y^8 + H*Y^{10} + J*Y^{12} + L*Y^{14}$$



COEFFIECIENT TABLE 7					
COEFFIECIENT	\$1				
k	-4.835000E+00				
D	0				
E	2.271180E-03				
F	-5.317630E-05				
G	1.383320E-06				
Н	-2.114800E-08				
J	1.182270E-10				
L	0				

FOR INFORMATION ONLY: PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	\$1	\$2	EFL @ 587.6µm	10		B [®] Edmund Optics [®]	Ð
SHAPE	CONVEX	CONVEX	BFL @ 587.6µm	2.69	W	Lumuna Optics	
RADIUS	4.900	19.138		· 		15mm DIA 0.75 NA UV COATED, UV FUSED	
SURFACE QUALITY	60-40	60-40	THIRD ANGLE PROJECTION		TITLE	SILICA ASPHERIC LENS	
CLEAR APERTURE	90%	90%		 			
BEVEL MAX	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED	ALL DIMS IN	mm	DWG NO	33951 SHEI	