



NOTES:

1. SUBSTRATE: Float Glass
2. COATING (APPLY ACROSS CLEAR APERTURE)

S1: Protected Silver (450-10000nm)

R(AVG) >98% @ 450 - 800nm  
R(AVG) >98.5% @ 2000 - 10,000nm



S2: NONE
3. EDGES SEAMED
4. ROHS COMPLIANT



**FOR INFORMATION ONLY:**  
**DO NOT MANUFACTURE**  
**PARTS TO THIS DRAWING**

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE  
DIMENSIONS ARE FOR REFERENCE ONLY

	S1	S2
SHAPE	PLANO	PLANO
SURFACE QUALITY	60-40	N/A
SURFACE FLATNESS	4 - 6λ	N/A
CLEAR APERTURE	36.20 x 36.20	N/A
BEVEL	PROTECTED AS NEEDED	PROTECTED AS NEEDED

		<div><div> Edmund Optics®</div></div>		
<div>THIRD ANGLE PROJECTION</div> <div></div>		TITLE	38.1 x 38.1mm Protected Silver, 4-6λ Mirror	
ALL DIMS IN	mm	DWG NO	36046	SHEET 1 OF 1