NOTES:

1. SUBSTRATE MATERIAL: N-BK7


2. COATING (APPLY ACROSS CLEAR APERTURE)


S1 & S2: NONE



3. FINE GROUND SURFACE

- 4. POWER, IRREGULARITY, AND SURFACE QUALITY SPECIFICAIONS APPLY ACROSS CLEAR APERTURE
- 5. Rohs Compliant





PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	S1	\$2					
SHAPE	CONVEX	PLANO	EFL	100		Edmund Ontice	\ ∩®
RADIUS	51.63	∞	BFL	97.92	Edmund Optics®		
SURFACE QUALITY	60-40	60-40				10mm H X 20mm L X 100mm FL UNCOA	ATED
CLEAR APERTURE	9.00 X 19.00	9.00 X 19.00	THIRD ANGLE PROJECTION		TITLE	CYLINDER LENS	
COATING APERTURE	9.00 X 19.00	9.00 X 19.00		1			CUEET
BEVEL	PROTECTED AS NEEDED	PROTECTED AS NEEDED	ALL DIMS IN	mm	DWG NO	43862	SHEET 1 OF 1