

High Performance Vibration Isolation System

See More by [TMC](#)



Stock **#87-226** [CONTACT US](#)

- 1 + **A\$6,360⁰⁰**

ADD TO CART

Volume Pricing

Qty 1-4	A\$6,360.00 each
Qty 5+	A\$6,040.00 each
Need More?	Request Quote

Product Downloads

General

Universal **Type:**

Physical & Mechanical Properties

3.0 **Thickness (inches):**

Length (inches):

20.0

Width (inches):

18.0

Construction:

Electropolished stainless steel sides and base
Textured powder coat carbon steel top plate

Feed Pressure (psi):

80 (nitrogen or air)

Height (inches):

3.0

Load Capacity (kg):

67 (150 lb)

Weight (kg):

22 (50 lb)

Regulatory Compliance

RoHS 2015:

[Compliant](#)

Certificate of Conformance:

[View](#)

Product Details

- Passive Vibration Isolation
- Lightweight, Compact Profile for Easy Portability
- Self-Leveling Design with Height Control Valves

The TMC™ High Performance Vibration Isolation System is designed to remove the unwanted effects of vibration from challenging microscopy applications. The lightweight, low-profile design weighs only 22kg, easing portability and lab integration. The TMC™ High Performance Vibration Isolation System consists of an electropolished stainless steel chassis and powder finish steel top plate. The self-leveling TMC™ High Performance Vibration Isolation System also includes height control valves for modifying the height of the platform.